


"VIGOROUS" SERIES




CARRYING LOAD

Tyre Mileage Index in %




STOP AND ACCELERATION OPERATION

Tyre Mileage Index in %




SEASONAL / AMBIENT TEMPERATURES

Tyre Mileage Index in %



TRAILER AXLES

Tyre Mileage Index in %



HIGH WAY STERER&TRAILR

VIGOROUS TS 600

- Mixed highway and freeway for long distance service.
- Special tread compound offers excellent performance of lower heat build-up.

Size	Ply.	Load Index	Speed Rating
------	------	------------	--------------

315/80R22.5	20	157/154	M
-------------	----	---------	---



VIGOROUS TS 600+

- Superior driving and braking performance, excellent traction and adhesion, well loading capacity.

Size	Ply.	Load Index	Speed Rating
------	------	------------	--------------

11R22.5	16	146/143	M
11R24.5	16	149/146	M
295/75R22.5*	16	146/143	M



VIGOROUS TS 601

- Mixed highway and freeway.
- Special tread compound offers cut resistance, super grip on wet road.

Size	Ply.	Load Index	Speed Rating
------	------	------------	--------------

295/80R22.5	18	152/149	M
-------------	----	---------	---



VIGOROUS TS 602

- Applied for highway, urban and country road.
- Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

Size	Ply.	Load Index	Speed Rating
------	------	------------	--------------

7.50R16LT*	14	122/118	L
8.25R16LT*	16	128/124	M



VIGOROUS TS 603

- Applied for highway, urban and country road.
- Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

Size	Ply.	Load Index	Speed Rating
------	------	------------	--------------

12R22.5	18	152/148	M
---------	----	---------	---



TS 605

- Exceptional mileage and resistance to irregular wear.
- Excellent high speed stability and durability.
- Excellent resistance to rib-tearing.

Size	Ply.	Load Index	Speed Rating
12R22.5	18	152/148	M



TS 606

- Low rolling resistance enhances fuel economy.
- Outstanding safety.
- Excellent ride comfort with low noise.
- Special sipes help resist uneven wear.

Size	Ply.	Load Index	Speed Rating
11R22.5	16	146/143	M



TS 607

- Unique tread design for minimized gasoline consumption.
- Horizontal rid design offers the top guiding and stability at high speed service.

Size	Ply.	Load Index	Speed Rating
13R22.5	18	156/150	K



TS 608

- Unique tread design for minimized gasoline consumption.
- Horizontal rid design offers the top guiding and stability at high speed service.

Size	Ply.	Load Index	Speed Rating
315/70R22.5	18	154/150	M



TS 609

- Wide base single tire for highway transportation.
- Super steel belt carcass construction enhances casing strength and maximizes tire load capacity.

Size	Ply.	Load Index	Speed Rating
385/65R22.5	20	160	K



TS 610

- Four vertical and Polygonal groove lines enables perfect maneuverability.
- Special shoulder improve tire shoulder durability.

Size	Ply.	Load Index	Speed Rating
385/65R22.5	20	160	K



HIGH WAY DRIVE

VIGOROUS TD 700

- Unique tie-bar pattern design offers superior resistance to irregular wearing and block tearing.
- High mileage and speed with lower heat build up.

Size	Ply.	Load Index	Speed Rating
11R22.5	16	146/143	M
315/80R22.5	20	157/154	M



VIGOROUS TD 701

- Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

Size	Ply.	Load Index	Speed Rating
295/80R22.5	18	152/149	M



VIGOROUS TD 702

- Stone ejectors in the tread prevents stone retention which can lead to casing damage.
- New tread design giving excellent traction.

Size	Ply.	Load Index	Speed Rating
11R22.5	16	146/143	M
11R24.5	16	149/146	M
295/75R22.5*	16	146/143	M



TD 703

- Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

Size	Ply.	Load Index	Speed Rating
10.00R20	18	149/146	L
11.00R20	18	152/149	L
12.00R20	20	152/148	M
12R22.5	18	156/153	K



TD 705

- Superior braking performance, high abrasion, well heat dispersion, low noise, well resistance to impact, superior stability in high-speed running.

Size	Ply.	Load Index	Speed Rating
12R22.5	18	152/148	M



TD 706

- Stone ejectors in the tread prevents stone retention which can lead to casing damage.
- New tread design giving excellent traction.

Size	Ply.	Load Index	Speed Rating
13R22.5	18	156/150	K



TD 707

- Stone ejectors in the tread prevents stone retention which can lead to casing damage.
- New tread design giving excellent traction.

Size	Ply.	Load Index	Speed Rating
315/70R22.5	18	154/150	M



MIX ROAD ALL POSITION

VIGOROUS TA 800

- Applied for highway, urban and country road.
- Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.

Size	Ply.	Load Index	Speed Rating
11R22.5	16	146/143	M
315/80R22.5	20	157/154	M



VIGOROUS TA 801

- Superior anti-irregular wearing performance, excellent stability in running, low noise, superior lateral spreads slippery resistance, well heat dispersion.

Size	Ply.	Load Index	Speed Rating
315/80R22.5	20	157/154	M



TA 800

- Mixed highway and freeway for long distance service.
- Special tread compound offers excellent performance of lower heat build-up.

Size	Ply.	Load Index	Speed Rating
7.50R16LT	14	122/118	L
8.25R16LT	16	128/124	L
9.00R20	16	144/142	K
10.00R20	18	149/146	L
11.00R20	18	152/149	L
12.00R20	20	156/153	K
12.00R24	20	160/157	K
12R22.5	18	152/148	M
13R22.5	18	156/150	K



VIGOROUS TA 802

- All terrain tyres suitable for all position fitment.
- Super level of traction.
- Resistant to cuts and stone retention.

Size	Ply.	Load Index	Speed Rating
12R22.5	18	152/148	M



TA 803

- High power mixed; Quasi-sovereign tread; Integrative shoulder pattern.
- Special tread compound perform well in hot weather.

Size	Ply.	Load Index	Speed Rating
12.00R24	20	160/157	K



VIGOROUS TA 805

- All terrain tyres suitable for all position fitment.
- Super level of traction.
- Resistant to cuts and stone retention.

Size	Ply.	Load Index	Speed Rating
12.00R24	20	160/157	K
325/95R24*	22	162/160	K



VIGOROUS TA 806

- All terrain tyres suitable for all position fitment.
- Super level of traction.
- Resistant to cuts and stone retention.

Size	Ply.	Load Index	Speed Rating
12.00R24*	20	160/157	K



TA 800 +



- Mixed highway and freeway for long distance service.
- Special tread compound offers excellent performance of lower heat build-up.

Size	Ply.	Load Index	Speed Rating
9.00R20	16	144/142	K
10.00R20	18	149/146	K
11.00R20	18	152/149	K
12.00R20	18	160/157	K



TA 807

- Resistance to irregular wear.
- Wider and deeper tread using a special rubber compound designed to extend the life of the tyre.

Size	Ply.	Load Index	Speed Rating
7.50R16LT	14	122/118	L
8.25R16LT	16	128/124	L
9.00R20	16	144/142	K
10.00R20	18	149/146	L
11.00R20	18	152/149	L
12.00R20	20	156/153	K



TA 807 +



- Fuel efficient with lower rolling resistance.
- Excellent traction and wet weather handling.
- Wider tread enhanced tyre life.

Size	Ply.	Load Index	Speed Rating
10.00R20	18	149/146	L



TM 900

- Fuel efficient with lower rolling resistance.
- Excellent traction and wet weather handling.
- Wider tread enhanced tyre life.

Size	Ply.	Load Index	Speed Rating
9.00R20	16	144/142	K
10.00R20	18	149/146	L
11.00R20	18	152/149	L
12.00R20	20	156/153	K



OFF ROAD DRIVE

VIGOROUS TM 901

- Stone ejectors in the tread prevents stone retention.
- New tread design giving excellent traction and cut resistance.

Size	Ply.	Load Index	Speed Rating
11R22.5*	16	146/143	M
13R22.5*	20	156/150	K
295/80R22.5*	18	152/149	L
315/80R22.5	20	157/154	L



TM 902

- All terrain tyres suitable for all position fitment.
- Super level of traction.
- Resistant to cuts and stone retention.

Size	Ply.	Load Index	Speed Rating
12.00R20	20	156/153	K
13R22.5	18	156/150	K



TM 903

- Stronger driving force; horizontal block pattern provides stronger driving power and braking force.
- Longer service life, excellent loading performance.

Size	Ply.	Load Index	Speed Rating
12.00R24	20	160/157	K



TM 905

- Stone ejectors in the tread prevents stone retention.
- New tread design giving excellent traction and cut resistance.

Size	Ply.	Load Index	Speed Rating
12.00R20	20	156/153	K



TM 906

- Stone ejectors in the tread prevents stone retention.
- New tread design giving excellent traction and cut resistance.

Size	Ply.	Load Index	Speed Rating
8.25R20LT	16	139/137	K
9.00R20	16	144/142	K
10.00R20	18	149/146	L
11.00R20	18	152/149	L
12.00R20	20	156/153	K



TM 907

- Stone ejectors in the tread prevents stone retention.
- New tread design giving excellent traction and cut resistance.

Size	Ply.	Load Index	Speed Rating
12.00R20	20	156/153	K



TM 908



- Mixed pattern design provides tire with excellent traction and brake performand.
- Open shoulder structure provides tire with good water evacuation as well as anti-hydroplaning.
- Specialized tread formula and optimized design provide tire with excellent anti-puncture and low heat generation ability.

Size	Ply.	Load Index	Speed Rating
9.00R20	16	144/142	K



TM 909



- Applied for bad road conditions including mining application of heavy duty workloads,short haul within 100kms,low speed less than 40kms/h.
- Large lug pattern design provides excellent grip performance,Wear-resistant compounddesign provide super tread life.
- Excelent stab-resistance,anti-eccentric wom,avulsion resistance and tread wear ability.

Size	Ply.	Load Index	Speed Rating
12.00R20	20	156/153	D



TM 910



- Applied for bad road conditions including mining application of heavy duty workloads,short haul within 100kms,low speed less than 40kms/h.
- Large lug pattern design provides excellent grip performance,Wear-resistant compounddesign provide super tread life.
- Excelent stab-resistance,anti-eccentric wom,avulsion resistance and tread wear ability.

Size	Ply.	Load Index	Speed Rating
11.00R20	18	152/149	D



315/80R22.5



VIGOROUS TS600 VIGOROUS TA800 VIGOROUS TA801 VIGOROUS TD700 VIGOROUS TM901

12.00R24



TA 800 TA 803 VIGOROUS TA805 VIGOROUS TA806* TM 903

11R22.5



VIGOROUS TS600+ TS 606 VIGOROUS TA800 VIGOROUS TD702 VIGOROUS TD700 VIGOROUS TM901*

12R22.5



TS 605 VIGOROUS TS603 VIGOROUS TA802 TA 800 TD 705 TD 703

13R22.5



TS 607 TA 800 TM 902 TD 706 VIGOROUS TM901*

295/80R22.5



VIGOROUS TS601 VIGOROUS TD701 VIGOROUS TM901*

325/95R24



VIGOROUS TA805*

11R24.5



VIGOROUS TS600+ VIGOROUS TD702*

295/75R22.5



VIGOROUS TS600** VIGOROUS TD702*

315/70R22.5



TS 608 TD 707

385/65R22.5



TS 609 TS 610



7.00R16LT



TA 800 TA 807

7.50R16LT



TA 800 TA 807 TS 602*

8.25R16LT



TA 800 TA 807 TS 602*

8.25R20LT



TA 800 TA 807 TM 906

9.00R20



TA 800 TA 800+ TA 807 TM 908 TM 906

10.00R20



TA 800 TA 800+ TA 807 TA 807+ TD 703 TM 902 TM 906

11.00R20



TA 800 TA 800+ TM 900 TA 807 TD 703 TM 902 TM 906 TM 910

12.00R20



TA 800 TA 800+ TM 900 TA 807 TD 703 TM 902 TM 906 TM 905 TM 907 TM 909

*Developing



TECHSHIELD



TRUCK & BUS TYRE

TYRE CATALOGUE 2019