



青岛昂邦仓储物流设备有限公司  
QINGDAO UPBAN WAREHOUSING LOGISTICS EQUIPMENT CO., LTD



青岛昂邦  
仓储物流设备  
PRODUCT BROCHURE



## COMPANY INTRODUCTION




Qingdao Upban Warehousing Logistics Equipment Co.Ltd is one of the subsidiary of ZEAL-LINE GROUP(China 500 Top Machinery Enterprise), which was established in 2003, obtained the ISO9001 Certification. The company area is 100,000 square meters,locked in Qingdao China, near to Qingdao port and Qingdao airport.

We are a well-experienced manufacturer, specialized in designing, manufacturing Supermarket and Warehouse Appliance such as Tyre Racks, Warehouse Shelving, Display Rack, Roll Cage, Shopping Carts, various Steel Pallets, Transport Stillages, Mesh Container, Trolley, Household Shelving and so on.

By virtue of the self-integrity, strength and best product quality,our products are enjoyed a high reputation in both domestic and overseas markets, especially in Asia,Oceania,North America--Canada, USA ,Latin America;Europe;Middle East.

Quality and safety are our life. With the most advanced equipments, leading technologies, an integrate and scientific quality management system, and a strong&professional designing team, we sincerely welcome you come to have a visit and guidance and make business negotiations with us.



MODE	QTY/40HC (pcs)
HPP600-A1 (With mesh)	308
SPECS	
SIZE	60" * 60" * 60" (L1524 * W1524 * H1524 mm)
LOADING CAPACITY	1100 kg
STACKING CAPACITY	6 High
TYRE CAPACITY/RACK	30 pcs * 195/55R15    30 pcs * 205/55R16



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
HPP600-A2 (No mesh)	308	HPP600-D1 (No mesh)	215
SPECS		SPECS	
SIZE	60" * 60" * 60" (L1524 * W1524 * H1524 mm)	SIZE	72" * 72" * 72" (L1830 * W1830 * H1830 mm)
LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg
STACKING CAPACITY	6 High	STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	30 pcs * 195/55R15    30 pcs * 205/55R16	TYRE CAPACITY/RACK	58 pcs * 195/55R15    58 pcs * 205/55R16



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
TBR&PCR200	140	TBR&PCR201	160
SPECS		SPECS	
SIZE	L2310 * W1204 * H1303 mm	SIZE	L2054 * W1271 * H1322 mm
LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg
STACKING CAPACITY	6 High	STACKING CAPACITY	6 High
TYRE CAPACITY/RACK	TBR&PCR	TYRE CAPACITY/RACK	TBR&PCR



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
HDPCR400-A	92	HDPCR400-B	120	HDPCR400-C	128
SPECS		SPECS		SPECS	
SIZE	L2200mm * W1300mm * H2050mm	SIZE	L1850mm * W1100mm * H1750mm	SIZE	L1750mm * W1100mm * H1727mm
LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High	STACKING CAPACITY	5 High	STACKING CAPACITY	5 High
TYRE CAPACITY/RACK	40 * 205/55R16	TYRE CAPACITY/RACK	32 * 205/55R16	TYRE CAPACITY/RACK	32 * 205/55R16



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
HPP600-B2 (With mesh)	146	HPP600-C (With mesh)	146
SPECS		SPECS	
SIZE	42" * 42" * 42" (L1067 * W1067 * H1067 mm)	SIZE	42" * 42" * 60" (L1067 * W1067 * H1524 mm)
LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High	STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	38 pcs * 205/55R16	TYRE CAPACITY/RACK	3 * 195/55R15 with 4 tie-down locks



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
PCR100	226	PCR101	180
SPECS		SPECS	
SIZE	L2200 * W1500 * H1050 mm	SIZE	L2200 * W1100 * H1050 mm
LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg
STACKING CAPACITY	8 High	STACKING CAPACITY	8 High
TYRE CAPACITY/RACK	19 * 205/55R16	TYRE CAPACITY/RACK	42 pieces * 100/93-L7



MODE	QTY/40HC (pcs)
HDPCR400-D	66
SPECS	
SIZE	L2310 * W1384 * H2032 mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High



MODE	QTY/40HC (pcs)
HDPCR400-E	92
SPECS	
SIZE	L2240 * W1100 * H2000 mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High



MODE	QTY/40HC (pcs)
PCR700	100
SPECS	
SIZE	L1524*W1524*H1955mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High

MODE	QTY/40HC (pcs)
PCR800-A	105
SPECS	
SIZE	L2270*W1270*H2000mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	60-80 pcs

MODE	QTY/40HC (pcs)
PCR900(With mesh/tin floor/hole floor)	90
SPECS	
SIZE	L2395*W1250*H2205mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	80-100 pcs

MODE	QTY/40HC (pcs)
PCR901 (With tin floor)	56
SPECS	
SIZE	L1850*W1850*H1850mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High



MODE	QTY/40HC (pcs)
PCR800-B (With tin floor)	105
SPECS	
SIZE	L2270*W1270*H2000mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	60-80 pcs

MODE	QTY/40HC (pcs)
PCR801 (With tin floor)	103
SPECS	
SIZE	L2200*W1270*H2000mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	60*205/55R16

MODE	QTY/40HC (pcs)
PCR902(With mesh/tin floor/hole floor)	95
SPECS	
SIZE	L2383*W1250*H2200mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	80-100 pcs

MODE	QTY/40HC (pcs)
PCR903(With mesh/tin floor)	108
SPECS	
SIZE	L2000*W1260*H1750mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 High
TYRE CAPACITY/RACK	50-60 pcs



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
TBR2ND A	143	TBR100 B	123
SPECS		SPECS	
SIZE	L2240*W1000*H1350 mm	SIZE	L2590*W1300*H1350 mm
LOADING CAPACITY	1100 kg	LOADING CAPACITY	1100 kg
STACKING CAPACITY	6 High	STACKING CAPACITY	6 High
TYRE CAPACITY/RACK	7*11R22.5	TYRE CAPACITY/RACK	8*11R22.5

MODE	QTY/40HC (pcs)
TBR301	121
SPECS	
SIZE	L2238*W1030*H1260 mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	6 High
TYRE CAPACITY/RACK	7*11R22.5

MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
OTR500 A	80	OTR500 B	88
SPECS		SPECS	
SIZE	L2500*W1200*H2000mm	SIZE	L2500*W1000*H2000mm
LOADING CAPACITY	2000 kg	LOADING CAPACITY	2000 kg
STACKING CAPACITY	3 High	STACKING CAPACITY	3 High
TYRE CAPACITY/RACK	3*20.5-25	TYRE CAPACITY/RACK	3*23.5-25



MODE	QTY/40HC (pcs)
TBR308(No mesh)	304
SPECS	
SIZE	L2337*W1017*H1806 mm
LOADING CAPACITY	1100 kg
STACKING CAPACITY	4 high
TYRE CAPACITY/RACK	10*11R22.5 10*295/80R22.5

MODE	QTY/40HC (pcs)
TBR408	122
SPECS	
SIZE	80**80**60*(2032*2032*1524mm)
LOADING CAPACITY	1100 kg
STACKING CAPACITY	5 High
TYRE CAPACITY/RACK	16*11R22.5 16*295/80R22.5



MODE	QTY/40HC (pcs)
CAGE1000	180
SPECS	
SIZE	L1100*W1100*H1000mm
LOADING CAPACITY	1100kg
MAX. STACK (OPEN)	5 HIGH
MAX. STACK (CLOSED)	20 HIGH



MODE	QTY/40HC (pcs)
CAGE2000	88
SPECS	
SIZE	L2260*W1092*H1168mm
LOADING CAPACITY	1100kg
MAX. STACK (OPEN)	5 HIGH
MAX. STACK (CLOSED)	20 HIGH



MODE	QTY/40HC (pcs)
NESTAINER	72
SPECS	
INTERNAL SIZE	1320*1250*1500mm
EXTERNAL SIZE	1200*1200*1300mm
LOADING CAPACITY	1100kg
MAX. STACK (OPEN)	4 HIGH



MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
POST PALLET 5000	316 UN.TS 252pcs with poles	POST PALLET 5000	320 UN.TS 1.62pcs with poles
SPECS		SPECS	
SIZE	L1340*W1030*H1000mm (w/ 2pcs poles)	SIZE	L2000*W1030*H1000mm (w/ 2 out poles)
LOADING CAPACITY	1100kg	LOADING CAPACITY	1100kg
MAX. STACK (OPEN)	5 HIGH	MAX. STACK (OPEN)	5 HIGH
Poles length	1800mm 1200mm 1900mm 1800mm	Poles length	800mm 1200mm 1300mm 1500mm



MODE	QTY/40HC (pcs)
CAGE3000	65
SPECS	
SIZE	L1830*W1600*H1524mm
LOADING CAPACITY	1100kg
MAX. STACK (OPEN)	4 HIGH



MODE	QTY/40HC (pcs)
W001	320
SPECS	
EXTERNAL SIZE	L1230*W1040*H890mm
INTERNAL SIZE	L1150*W960*H750mm
LOADING CAPACITY	1800kg
MAX. STACK (OPEN)	5 HIGH



MODE	QTY/40HC (pcs)
HEAVY PALLET	130PCS/20GP 320PCS/40HQ
SPECS	
SIZE	L1300*W1000*H150mm
LOADING CAPACITY	2000 kg
STACKING CAPACITY	3 High




MODE	QTY/40HC (pcs)	MODE	QTY/40HC (pcs)
BEAM RACK-A	220	BEAM RACK-C	120
SPECS		SPECS	
SIZE	L2000*W500*H2000 mm	SIZE	L2000*W500*H4000 mm
LOADING CAPACITY	600 kg	LOADING CAPACITY	600 kg
LEVEL	3	LEVEL	6



MODE	QTY/40HC (pcs)
PM001	1000
SPECS	
SIZE	L1000*W1350mm
Mesh	50*100*TK5mm
LOADING CAPACITY	1000 kg
LEVEL	3

MODE	QTY/40HC (pcs)
HDR001	120
SPECS	
SIZE	L2000*W500*H4000 mm
LOADING CAPACITY	600 kg
LEVEL	3

MODE	QTY/40HC (pcs)
PTC001(Plywood/Metal sheet/Net mesh)	
365-400	
SPECS	
SIZE	1.1350*565*1900mm 2.1500*565*1900mm 3.675*565*1900mm 4.1178*1168*1900mm 5.1330*610*1900mm 6.1310*1020*1900mm 7.1480*600*1900mm 8.1280*530*1900mm
LOADING CAPACITY	60-500 kg
LEVEL	5





MODE	QTY/40HC (pcs)
RC001	350
SPECS	
BASE SIZE	800x720
OVERHEIGHT	1800mm
INTERNAL HEIGHT	1645mm
LOADING CAPACITY	1300 kg
LEVEL	1



MODE	QTY/40HC (pcs)
RC002	300
SPECS	
BASE SIZE	1200x800mm
OVERHEIGHT	1800mm
INTERNAL HEIGHT	1645mm
LOADING CAPACITY	1300 kg
LEVEL	1



MODE
Mobile hanging clothing rack
QTY/40HC (pcs)
1100
SPECS
SIZE 1800 x 570 x 1800MM



MODE	QTY/40HC (pcs)
RC003	300
SPECS	
BASE SIZE	735x850mm
OVERHEIGHT	1690mm
INTERNAL HEIGHT	1425mm
LOADING CAPACITY	1300 kg
LEVEL	3



MODE	QTY/40HC (pcs)
TIRE TROLLEY	320
SPECS	
SIZE	860 x 720 x 1600MM
LOADING CAPACITY	250 kg
MAX OVERALL TIRE DIAMETER	1020mm
MIN OVERALL TIRE DIAMETER	520mm
TIRE CAPACITY	8 pieces

