



Truck and Bus Tire Catalog





STEER/TRAILER



DW916

Features

- ▶ Three groove design with lugs
- ▶ Special tread compound
- ▶ Shoulder design with lugs and sipes

Benefits

- ▶ Provide outstanding wet performance
- ▶ Provide outstanding resistance to abrasion
- ▶ Provide excellent heat dissipation



DW162

Features

- ▶ Four straight grooves design
- ▶ Tread surface with fine steel sipes design
- ▶ Stone ejectors set at the bottom of the side grooves

Benefits

- ▶ Provides excellent water drainage performance
- ▶ Provides good drainage and ensures good grip ability
- ▶ Protects the bottom of the grooves from hard gouges and cracks



DW162+

Features

- ▶ Four straight grooves design
- ▶ Tread surface with fine steel sipes design
- ▶ Stone ejectors set at the bottom of the side grooves
- ▶ Special tread compound formula for mid to long distance

Benefits

- ▶ Provides excellent water drainage performance
- ▶ Provides good drainage and ensures good grip ability
- ▶ Protects the bottom of the grooves from hard gouges and cracks
- ▶ Improves tyre wear mileage



DW619

Features

- ▶ Three circumferential grooves
- ▶ Block pattern design
- ▶ Special tread compound
- ▶ Solid shoulder design

Benefits

- ▶ Ensure outstanding water evacuation, even pressure distribution and heat dissipation
- ▶ Provide excellent driving and braking force
- ▶ Provide outstanding resistance to puncture and tearing
- ▶ Provide outstanding resistance to abrasion



Long Haul



Regional Haul



Operation:

- Highways and long distance / Regional highways and city streets
- Well paved road conditions / Mainly used on paved roads, occasionally run on unpaved roads
- Constant and high speed with minimal braking and accelerating / Frequent braking, accelerating and turning

Size	DW916	DW162	DW162+	DW619
12.00R20	156/153 K			
11R22.5		146/143 M		
275/80R22.5			149/146 M	
295/80R22.5		152/149 M	152/149 M	
315/80R22.5		156/152 L(154/151 M)		156/152 L(154/151 M)
385/65R22.5		160 K		



STEER/TRAILER



DW905

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW160

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW933

Features

- Solid rib design combined with multiple sipes
- Four wide circumferential grooves
- Solid shoulder design

Benefits

- Provide excellent heat dissipation and improved regular wear with lower resistance
- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide outstanding resistance to abrasion



DW910

Features

- Four circumferential grooves
- Solid shoulder design
- Specially designed compound

Benefits

- Provide excellent anti-sideslip performance and ensure excellent water evacuation
- Provide outstanding resistance to abrasion
- Reduce rolling noise greatly
- Deliver lower rolling resistance

Size	DW905	DW160	DW933	DW910
7.50R16LT			122/118 M	
8.25R16LT				128/124 M
275/80R22.5	149/146 M			
385/65R22.5		160 K		



STEER/TRAILER



DW905

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW912

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW913

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW915

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance

Size	DW905	DW912	DW913	DW915
11R22.5		146/143 M	146/143 M	
12R22.5				152/149 M
13R22.5	156/153 L			
295/80R22.5	152/149 M			
315/80R22.5	157/154 M			





STEER/TRAILER



DW602

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW603

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW617

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



DW626

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance

Size	DW602	DW603	DW617	DW626
11R22.5		146/143 M	146/143 M	
12R22.5	152/149 M			
295/80R22.5	152/149 M	152/149 M		152/149 M
315/80R22.5	156/152L(154/151 M)	156/152L(154/151 M)		



STEER/TRAILER



DW612

Features

- Three circumferential grooves
- Block pattern design
- Special tread compound
- Solid shoulder design

Benefits

- Ensure outstanding water evacuation, even pressure distribution and heat dissipation
- Provide excellent driving and braking force
- Provide outstanding resistance to puncture and tearing
- Provide outstanding resistance to abrasion



DW613

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance



NTL660

Features

- Four wide circumferential grooves
- Siped rib and shoulder design
- Reinforced carcass and wide tread
- Specially designed compound

Benefits

- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Provide excellent heat dissipation
- Ensure excellent handling and safe performance
- Deliver lower rolling resistance

Size	DW612	DW613	NTL660
12R22.5	152/149 M	152/149 M	152/149 M





STEER/TRAILER



Features

- Special tread compound

Benefits

- Better mileage

DW615



Features

- Special tread compound

Benefits

- Better mileage

DW616



Features

- Special tread compound

Benefits

- Better mileage

NTL362

Size	DW615	DW616	NTL362
12R22.5	152/149 M	152/149 M	152/149 L



DRIVE



Features

- Three circumferential grooves
- Block pattern design
- Special tread compound
- Solid shoulder design

Benefits

- Ensure outstanding water evacuation, even pressure distribution and heat dissipation
- Provide excellent driving and braking force
- Provide outstanding resistance to puncture and tearing
- Provide outstanding resistance to abrasion

DW935



Features

- Block pattern design
- Extra wide footprint
- Deeper tread depth design

Benefits

- Provide excellent driving and braking force
- Enhanced stability and resistance to abrasion
- Improved mileage performance

DW921



Features

- Special tread compound
- Four circumferential grooves
- Deeper tread depth design
- Block pattern design

Benefits

- Provide outstanding resistance to puncture and tearing
- Ensure excellent water evacuation, even pressure distribution and heat dissipation
- Improved mileage performance
- Provide excellent driving and braking force

DW668



Features

- Block pattern design
- Extra wide footprint
- Deeper tread depth design

Benefits

- Provide excellent driving and braking force
- Enhanced stability and resistance to abrasion
- Improved mileage performance

DW607

Size	DW935	DW921	DW668	DW607
12.00R24	160/157 K			
11R22.5				146/143 M
12R22.5		152/149 M		
275/80R22.5			149/146 L	
315/80R22.5				156/152 L(154/151 M)





DRIVE



Features

- ▶ Block pattern design
- ▶ Extra wide footprint
- ▶ Deeper tread depth design

Benefits

- ▶ Provide excellent driving and braking force
- ▶ Enhanced stability and resistance to abrasion
- ▶ Improved mileage performance

DW605



Features

- ▶ Asymmetric lug design
- ▶ Block pattern design
- ▶ Four circumferential grooves
- ▶ Reinforced carcass and bead design

Benefits

- ▶ Combine regular wear with excellent traction
- ▶ Provide excellent driving and braking force
- ▶ Ensure excellent water evacuation, even pressure distribution and heat dissipation
- ▶ Ensure excellent handling and safe performance and provide outstanding loading capacity

DW609



Features

- ▶ Three circumferential grooves
- ▶ Block pattern design
- ▶ Special tread compound
- ▶ Solid shoulder design

Benefits

- ▶ Ensure outstanding water evacuation, even pressure distribution and heat dissipation
- ▶ Provide excellent driving and braking force
- ▶ Provide outstanding resistance to puncture and tearing
- ▶ Provide outstanding resistance to abrasion

DW610



Features

- ▶ Optimized void ratio and ground contact design
- ▶ Deeper grooves and strong block design
- ▶ Special tread compound formula for medium and long distance
- ▶ Optimized shoulder design

Benefits

- ▶ Delivers excellent ground footprint for improved wear performance
- ▶ Provides good driving, handling and wet grip performance
- ▶ Provides more mileage in a variety of conditions
- ▶ Improves tire crown anti-knock performance

DW356

Size	DW605	DW609	DW610	DW356
11R22.5				146/143 L
275/80R22.5				149/146 L
295/80R22.5	152/149 M			152/149 M
315/80R22.5	156/152 L(154/151 M)	156/152 L(154/151 M)	156/152 L(154/151 M)	156/152 L(154/151 M)



TRAILER



Features

- ▶ Four zigzag grooves
- ▶ Extra wide footprint with square shoulder
- ▶ Special tread compound

Benefits

- ▶ Provide excellent anti-sideslip performance and ensure excellent water evacuation
- ▶ Enhanced stability and resistance to abrasion
- ▶ Provide outstanding resistance to abrasion

DW903



Features

- ▶ Four zigzag grooves
- ▶ Extra wide footprint with square shoulder
- ▶ Special tread compound

Benefits

- ▶ Provide excellent anti-sideslip performance and ensure excellent water evacuation
- ▶ Enhanced stability and resistance to abrasion
- ▶ Provide outstanding resistance to abrasion

DW621



Features

- ▶ Four zigzag grooves
- ▶ Extra wide footprint with square shoulder
- ▶ Special tread compound

Benefits

- ▶ Provide excellent anti-sideslip performance and ensure excellent water evacuation
- ▶ Enhanced stability and resistance to abrasion
- ▶ Provide outstanding resistance to abrasion

DW622



Features

- ▶ Four zigzag grooves
- ▶ Extra wide footprint with square shoulder
- ▶ Special tread compound

Benefits

- ▶ Provide excellent anti-sideslip performance and ensure excellent water evacuation
- ▶ Enhanced stability and resistance to abrasion
- ▶ Provide outstanding resistance to abrasion

DW623

Size	DW903	DW621	DW622	DW623
385/65R22.5	160 K	160 K	160 K	160 K





TRAILER



DW625

Features

- Four zigzag grooves
- Extra wide footprint with square shoulder
- Special tread compound

Benefits

- Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- Enhanced stability and resistance to abrasion
- Provide outstanding resistance to abrasion

Size	DW625
385/65R22.5	160 K



M
Mixed Service



Operation:

- Frequently used on and off roads
- Heavier loads
- Construction site



ALL POSITION



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

DW901



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

DW902



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

DW908



Features

- ▶ All position tread pattern design
- ▶ Special tread compound formula for Mid-Short distance
- ▶ Triple zigzag main grooves and shoulder cross grooves design
- ▶ Sipes design on tread surface

Benefits

- ▶ For a wide range of complex road conditions
- ▶ Provides good tear resistance and improves wear mileage
- ▶ Provides good grip on both dry and wet conditions
- ▶ Improves handling performance in wet conditions

DW572

Size	DW901	DW902	DW908	DW572
7.00R16LT	118/114 M			
7.50R16LT	122/118 M			
8.25R16LT	128/124 M			
8.25R20	139/137 L			
9.00R20	144/142 K			
10.00R20	149/146 K			
12.00R20	156/153 K			156/153 K
12.00R24	160/157 K			160/157 K
11R22.5	146/143 M			146/143 M
12R22.5	152/149 M			
13R22.5	156/153 L			
275/80R22.5				149/146 L
295/80R22.5		152/149 M		
315/80R22.5	157/154 M		157/154 M	156/152L(154/151 M)



ALL POSITION



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

DW601



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

DW620



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

DW901



Features

- ▶ Three zigzag grooves
- ▶ Combination of rib and lug design
- ▶ Shoulder design with lugs

Benefits

- ▶ Provide excellent anti-sideslipping performance and ensure excellent water evacuation
- ▶ Deliver outstanding traction and handling
- ▶ Provide excellent heat dissipation

NTL702

Size	DW601	DW620	DW901	NTL702
12.00R20			156/153 K	
11R22.5	146/143 M	146/143 M		
12R22.5	152/149 M			152/149 M
315/80R22.5	156/152L(154/151 M)			



Mixed Service



DRIVE



DW375

Features

- ▶ Large block & Deep groove design
- ▶ Open shoulder design
- ▶ Optimized tread compound
- ▶ Special horizontal small groove design

Benefits

- ▶ Provides excellent traction and braking force
- ▶ Provides good traction and self-cleaning performance
- ▶ Provides excellent tear resistance, cut resistance and snow traction
- ▶ Improve snow traction performance



DW608

Features

- ▶ Special tread compound
- ▶ Block pattern design
- ▶ Extra wide footprint with square shoulder
- ▶ Reinforced carcass and bead design

Benefits

- ▶ Provide outstanding resistance to puncture and tearing
- ▶ Provide excellent driving and braking force
- ▶ Enhanced stability and resistance to abrasion
- ▶ Ensure excellent handling and safe performance and provide outstanding loading capacity



DW917

Features

- ▶ Lug and block pattern design
- ▶ Special groove design
- ▶ Special tread compound
- ▶ Open shoulder design

Benefits

- ▶ Improved traction, driving and braking performance
- ▶ Deliver stone-ejecting property
- ▶ Provide outstanding resistance to puncture and tearing
- ▶ Provide excellent heat dissipation



DW918

Features

- ▶ Lug and block pattern design
- ▶ Special groove design
- ▶ Special tread compound
- ▶ Open shoulder design

Benefits

- ▶ Improved traction, driving and braking performance
- ▶ Deliver stone-ejecting property
- ▶ Provide outstanding resistance to puncture and tearing
- ▶ Provide excellent heat dissipation

Size	DW375	DW608	DW917	DW918
12.00R20			156/153 K	156/153 K
315/80R22.5	156/152 L(154/151 M)	156/152 L(154/151 M)		



Operation:

- Mostly used on rugged terrain like mining or heavy construction
- Heavier loads
- High risk of damage from road conditions

