

TYRE CATALOGUE V5.0

# TRUCK & BUS




**TECHSHIELD**


# "VIGOROUS" Series




## CARRYING LOAD




## STOP AND ACCELERATION OPERATION



## SEASONAL / AMBIENT TEMPERATURES



## TRAILER AXLES



# VIGOROUS TS600



Mixed highway and freeway for long distance service.  
Special tread compound offers excellent performance of lower heat build-up.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
295/75R22.5	18	148/145	L	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL

# VIGOROUS TS601



Mixed highway and freeway.  
Special tread compound offers cut resistance,super grip on wet road.



SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL

# VIGOROUS TS602



Applied for highway,urban and country road.  
Three rib pattern,extra sideslip resistance,delivers superior stability and drainage of driving.



SIZE	PLY	LI	SI	TL/TT
7.50R16LT	14	122/118	L	TT
7.50R16LT	16	125/121	L	TT

# VIGOROUS TS603




Unique tread design for minimized gasoline consumption.  
Horizontal rid design offers the top guiding and stability at high speed service.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
295/75R22.5	18	148/145	L	TL

# TS605



Exceptional mileage and resistance to irregular wear.  
Excellent high speed stability and durability.  
Excellent resistance to rib-tearing.



SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/148	M	TL

# VIGOROUS TS606



Resistance to irregular wear.  
Wildier and deeper tread using a special rubber compound designed to extend the life of the tyre.



SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL

# TS607



Unique tread design for minimized gasoline consumption.  
Horizontal rid design offers the top guiding and stability at high speed service.



SIZE	PLY	LI	SI	TL/TT
13R22.5	18	156/150	K	TL

# TS609+



Applied for highway,urban and country road.  
Three rib pattern,extra sideslip resistance,delivers superior stability and drainage of driving.



SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	L	TL

# VIGOROUS TS618



Mixed highway and freeway.  
Special tread compound offers cut resistance,super grip on wet road.



SIZE	PLY	LI	SI	TL/TT
315/80R22.5	20	157/154	M	TL

# VIGOROUS TS619



Deep tread depth delivers extended usage and lower cost per mile.  
Enhanced durability due to wide tread surface and rubber compound.



SIZE	PLY	LI	SI	TL/TT
275/80R22.5	18	149/146	L	TL

# VIGOROUS TS620



Unique tread design for minimized gasoline consumption.  
Horizontal rid design offers the top guiding and stability at high speed service.



SIZE	PLY	LI	SI	TL/TT
295/60R22.5	18	150/147	L	TL

# VIGOROUS TS621



Four vertical and Polygonal groove lines enables perfect maneuverability.  
Special shoulder improve tire shoulder durability.



SIZE	PLY	LI	SI	TL/TT
275/70R22.5	18	149/146	L	TL

# VIGOROUS TS709



Mixed highway and freeway for long distance service.  
Special tread compound offers excellent performance of lower heat build-up.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
295/75R22.5	18	148/145	L	TL

# TS788



Four vertical and Polygonal groove lines enables perfect maneuverability.  
Special shoulder improve tire shoulder durability.



SIZE	PLY	LI	SI	TL/TT
385/65R22.5	20	160	L	TL

# VIGOROUS TS798



Four vertical and Polygonal groove lines enables perfect maneuverability.  
Special shoulder improve tire shoulder durability.



SIZE	PLY	LI	SI	TL/TT
225/80R17.5	14	129/127	L	TL
235/75R17.5	16	132/129	L	TL
245/70R17.5	18	134/132	L	TL
245/70R19.5	16	135/133	K	TL
265/70R19.5	16	139/136	L	TL
315/70R22.5	20	156/150	L	TL
* 9.5R17.5	18	144/142	J	TL

\* Developing

# VIGOROUS TS799



Mixed highway and freeway.  
Special tread compound offers cut resistance, super grip on wet road.



SIZE	PLY	LI	SI	TL/TT
215/75R17.5	18	135/133	M	TL

# TA800



Mixed highway and freeway for long distance service.  
Special tread compound offers excellent performance of lower heat build-up.



SIZE	PLY	LI	SI	TL/TT
7.50R16LT	14	122/118	L	TT
8.25R16LT	16	128/124	L	TT
8.25R20LT	16	139/137	K	TT
9.00R20	16	144/142	K	TT
9.00R20	18	144/142	K	TT
10.00R20	18	149/146	L	TT
11.00R20	18	152/149	L	TT
12.00R20	18	154/151	L	TT
12.00R20	20	156/153	K	TT
12.00R24	20	160/157	K	TT
12R22.5	18	152/148	M	TL
13R22.5	18	156/150	K	TL
13R22.5	20	156/153	K	TL

# VIGOROUS TA800



Applied for highway, urban and country road.  
Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
315/80R22.5	20	157/154	M	TL

# VIGOROUS TA800+



Applied for highway, urban and country road.  
Three rib pattern, extra sideslip resistance, delivers superior stability and drainage of driving.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL

# VIGOROUS TA801



Superior anti-irregular wearing performance, excellent stability in running.  
Low noise, superior lateral spreads slippery resistance, well heat dispersion.



SIZE	PLY	LI	SI	TL/TT
315/80R22.5	20	157/154	M	TL

# TA803



High power mixed; Quasi-sovereign tread; Integrative shoulder pattern. Special tread compound perform well in hot weather.



SIZE	PLY	LI	SI	TL/TT
12.00R24	20	160/157	K	TT

# VIGOROUS TA805



All terrain tyres suitable for all position fitment. Super level of traction. Resistant to cuts and stone retention.



SIZE	PLY	LI	SI	TL/TT
12.00R24	20	160/157	K	TT

# VIGOROUS TA806



High power mixed; Quasi-sovereign tread; Integrative shoulder pattern. Superior anti-irregular wearing performance, excellent stability in running. Low noise, superior lateral spreads slippery resistance, well heat dispersion.



SIZE	PLY	LI	SI	TL/TT
* 315/80R22.5	20	157/154	M	TL
* Developing				

# VIGOROUS TA809



Mixed highway and freeway.  
Special tread compound offers cut resistance, super grip on wet road.



SIZE	PLY	LI	SI	TL/TT
* 11R22.5	18	149/146	L	TL
* 295/80R22.5	18	152/149	M	TL
315/80R22.5	20	157/154	M	TL

\* Developing

# TM900



Fuel efficient with lower rolling resistance.  
Excellent traction and wet weather handling.  
Wider tread enhanced tyre life.



SIZE	PLY	LI	SI	TL/TT
10.00R20	18	149/146	L	TT
11.00R20	18	152/149	L	TT
12.00R20	20	156/153	K	TT

# VIGOROUS TD700



High mileage and speed with lower heat build up.  
Unique tie-bar pattern design offers superior resistance to irregular wearing and block tearing.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
315/80R22.5	18	154/151	M	TL
315/80R22.5	20	157/154	M	TL

# VIGOROUS TD701



Superior braking performance, high abrasion, well heat dispersion, low noise.  
Well resistance to impact, superior stability in high-speed running.



SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL

# VIGOROUS TD702



New tread design giving excellent traction.  
Stone ejector in the tread prevents stone retention which can lead to casing damage.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
295/75R22.5	18	148/145	L	TL

# TD703



Superior braking performance, high abrasion, well heat dispersion, low noise.  
Well resistance to impact, superior stability in high-speed running.



SIZE	PLY	LI	SI	TL/TT
10.00R20	18	149/146	L	TT
11.00R20	18	152/149	L	TT
12.00R20	20	156/153	K	TT
12R22.5	18	152/148	M	TL

# TD705



Superior braking performance, high abrasion, well heat dispersion, low noise.  
Well resistance to impact, superior stability in high-speed running.



SIZE	PLY	LI	SI	TL/TT
12R22.5	18	152/148	M	TL

# TD706



New tread design giving excellent traction.  
Stone ejector in the tread prevents stone retention which can lead to casing damage.



SIZE	PLY	LI	SI	TL/TT
13R22.5	18	156/150	K	TL
13R22.5	20	156/153	K	TL

# VIGOROUS TD707



Superior anti-irregular wearing performance, excellent stability in running.  
Low noise, superior lateral spreads slippery resistance, well heat dispersion.



SIZE	PLY	LI	SI	TL/TT
295/80R22.5	18	152/149	M	TL

# VIGOROUS TD708



All terrain tyres suitable for all position fitment.  
Resistant to cuts and stone retention.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
295/75R22.5	18	148/145	L	TL

# VIGOROUS TD710



Superior anti-irregular wearing performance, excellent stability in running.  
Low noise, superior lateral spreads slippery resistance, well heat dispersion.



SIZE	PLY	LI	SI	TL/TT
315/80R22.5	20	157/154	M	TL

# VIGOROUS TD711



Superior anti-irregular wearing performance, excellent stability in running.  
Low noise, superior lateral spreads slippery resistance, well heat dispersion.



SIZE	PLY	LI	SI	TL/TT
315/70R22.5	20	156/150	K	TL

# VIGOROUS TD712



Wilder and deeper tread using a special rubber compound designed to extend the life of the tyre.  
Resistance to irregular wear.



SIZE	PLY	LI	SI	TL/TT
215/75R17.5	18	135/133	L	TL

# VIGOROUS TD715



New tread design giving excellent traction.  
Stone ejector in the tread prevents stone retention which can lead to casing damage.



SIZE	PLY	LI	SI	TL/TT
11R22.5	18	149/146	L	TL
11R24.5	18	152/149	L	TL
295/75R22.5	18	148/145	L	TL

# VIGOROUS TM717



Resistance to irregular wear.  
Wilder and deeper tread using a special rubber compound designed to extend the life of the tyre.



SIZE	PLY	LI	SI	TL/TT
* 11R22.5	18	149/146	L	TL
215/75R17.5	18	135/133	L	TL

\* Developing

# TA807



Resistance to irregular wear.

Wildier and deeper tread using a special rubber compound designed to extend the life of the tyre.



SIZE	PLY	LI	SI	TL/TT
9.00R20	16	144/142	K	TT
9.00R20	18	144/142	K	TT
10.00R20	18	149/146	L	TT
11.00R20	16	152/149	L	TT
12.00R20	20	156/153	K	TT
8.25R16LT	16	128/124	L	TT

# VIGOROUS TM901



Stone ejectors in the tread prevents stone retention.

New tread design giving excellent traction and cut resistance.



SIZE	PLY	LI	SI	TL/TT
315/80R22.5	20	157/154	L	TL

# TM902



All terrain tyres suitable for all position fitment.  
Super level of traction.  
Resistant to cuts and stone retention.



SIZE	PLY	LI	SI	TL/TT
10.00R20	18	149/146	L	TT
11.00R20	18	152/149	L	TT
12.00R20	20	156/153	K	TT
13R22.5	18	156/150	K	TL

# TM903



Longer service life,excellent loading performance.  
Stronger driving force;horizontal block pattern provides stronger driving power and braking force.



SIZE	PLY	LI	SI	TL/TT
12.00R24	20	160/157	K	TT

# TM906



New tread design giving excellent traction.  
Stone ejector in the tread prevents stone retention which can lead to casing damage.



SIZE	PLY	LI	SI	TL/TT
9.00R20	16	144/142	K	TT
10.00R20	18	149/146	L	TT
11.00R20	18	152/149	L	TT
12.00R20	20	156/153	K	TT

# VIGOROUS TM907



Mixed highway and freeway.  
Special tread compound offers cut resistance,super grip on wet road.



SIZE	PLY	LI	SI	TL/TT
• 295/80R22.5	18	152/149	M	TL
315/80R22.5	20	157/154	M	TL

- Developing

# VIGOROUS TM908



Applied for highway,urban and country road.  
Three rib pattern,extra sideslip resistance,delivers superior stability and drainage of driving.



SIZE	PLY	LI	SI	TL/TT
225/80R17.5	14	129/127	K	TL
235/75R17.5	16	132/129	K	TL

# VIGOROUS TM910



New tread design giving excellent traction and cut resistance.  
Super level of traction.  
Resistant to cuts and stone retention.



SIZE	PLY	LI	SI	TL/TT
• 11R22.5	18	149/146	L	TL
• 295/80R22.5	18	152/149	M	TL
• 315/80R22.5	20	157/154	M	TL

- Developing

# VIGOROUS WT501



Superior braking performance, high abrasion, well heat dispersion, low noise.  
Well resistance to impact, superior stability in high-speed running.



SIZE	PLY	LI	SI	TL/TT
11R22.5	16	146/143	L	TL
11R24.5	16	149/146	L	TL

**7.50R16LT**



**8.25R16LT**



**8.25R20LT**



**9.00R20**



**10.00R20**



**11.00R20**



**12.00R20**



## 12.00R24



TA800



TA803



VIGOROUS TA805



TM903

## 9.5R17.5

\*



VIGOROUS TS798

## 215/75R17.5



VIGOROUS TS799



VIGOROUS TD712



VIGOROUS TM717

## 225/80R17.5



VIGOROUS TS798



VIGOROUS TM908

## 235/75R17.5



VIGOROUS TS798



VIGOROUS TM908

## 245/70R17.5



VIGOROUS TS798

## 245/70R19.5



VIGOROUS TS798

## 265/70R19.5



VIGOROUS TS798

## 11R22.5



VIGOROUS TS600



VIGOROUS TS603



VIGOROUS TS709



VIGOROUS TA800



VIGOROUS TA800+

\*



VIGOROUS TA809



VIGOROUS TD700



VIGOROUS TD702

\* Developing

### 11R22.5



### 11R24.5



### 12R22.5



### 13R22.5



### 275/70R22.5



### 275/80R22.5



### 295/60R22.5



\* Developing

### 295/75R22.5



### 295/80R22.5



### 315/70R22.5



### 315/80R22.5



### 385/65R22.5



\* Developing



**TECHSHIELD**

**GUARD YOUR DRIVING SAFETY**

**DISTRIBUTED BY**



**Bànlǔ**Tires